	DEPARTMENT OF HEA	LTH AND HUMAN S JG ADMINISTRATION	SERVICES		
DISTRICT ADDRESS AND PHONE NUMBER			DATE(S) OF INSPECTION	on the result of the	
300 River Place, Suite 5900			10/29/2014 - 11/13	3/2014*	
Detroit, MI	48207 .00 Fax: (313) 393-8139		3011130315		
	formation: www.fda.gov/oc/indu	istrv	3011130313		
	UAL TO WHOM REPORT ISSUED				
TO: Bradley	J. McCloskey, Pharmacist in	Charge			
De la companya della companya della companya de la companya della	Pharmacy Inc dba University	2520 Livern	ois Road		
Compounding Pharmacy			Compensation in the compensation of the Compen		
CITY, STATE, ZIP CODE, COUNTRY  TYPE ESTABLISHMEN					
Troy, MI 48083 Producer of Sterile Drug Products				icts	
This document lists observations made by the FDA representative(s) during the inspection of your facility. They are inspectional observations, and do not represent a final Agency determination regarding your compliance. If you have an objection regarding an observation, or have implemented, or plan to implement, corrective action in response to an observation, you may discuss the objection or action with the FDA representative(s) during the inspection or submit this information to FDA at the address above. If you have any questions, please contact FDA at the phone number and address above.					
DURING AN INSPE	CTION OF YOUR FIRM WE OBSERVED:				
OBSERVATION	1				
Procedures design	ed to prevent microbiological contaminatio	n of drug products	purporting to be sterile are	not established.	
Specifically,					
performed under re SOP 1.60, Oriental This process does such as (b) (4)  -Hydroxocobala of vials  -Methylcobalam vials  -Testosterone Cylii. Non-sterile dispersample, such wipe 40mcg/ml Injectab	tion of aseptic processing operations, specific presentative worst case aseptic processing tion and Training, requires (b) (4) not include, for example, worst case lot size For example, media fill simulations a min 1,200mcg/ml Injectable lot 09052014(a) in 1,000mcg/ml Injectable lot 09292014(a) in 1,000mcg/ml Injectable lot 10302014(a) in 10/30/2014.	es, vial sizes, and ere not representation 266, filled with a compared to the	quipment used in normal ase quipment used in normal ase we of:  o) (4)  vial size of 30  al, 10ml, 12ml, and 30ml, and lot size of 300  vials  th (b) (4)  to the aseptic processing of  n limits have not been estable	eptic operations  Oml and lot size and lot size of (5)(4)  For Selenium	
example, non-steril 09052014@66.	e drug components used in the processing of	of Hydroxocobalan	nin 1,200mcg/ml Injectable	lot	
processed and filled the "ISO 5" lamina	n analysis has not been performed in the "Is d, to demonstrate unidirectional airflow over flow hood in which Hydroxocobalamin 1, ally, such analysis has not been performed	r the product during 200mcg/ml Injects	ng static or dynamic conditionable lot 09052014@66 was p	ons. For example,	
	EMPLOYEE(S) SIGNATURE			DATE ISSUED	
SEE REVERSE	Sarah M. Napier, Investigator	r 5/1	UN		
OF THIS DAGE	Emily J. Orban, Investigator	JM/	11/0~	11/13/2014	

INSPECTIONAL OBSERVATIONS

PAGE 1 OF 4 PAGES

FORM FDA 483 (09/08)

PREVIOUS EDITION OBSOLETE

DEPARTMENT OF HEALTH AND HUMAN SERVICES FOOD AND DRUG ADMINISTRATION				
DISTRICT ADDRESS AND PHONE NUMBER	DATE(S) OF INSPECTION			
300 River Place, Suite 5900	10/29/2014 - 11/13/2014*			
Detroit, MI 48207	FEI NUMBER			
(313) 393-8100 Fax: (313) 393-8139	3011130315			
Industry Information: www.fda.gov/oc/indu	istry			
NAME AND TITLE OF INDIVIDUAL TO WHOM REPORT ISSUED				
TO: Bradley J. McCloskey, Pharmacist in	Charge			
FIRM NAME	STREET ADDRESS			
Diversified Pharmacy Inc dba University	2520 Livernois Road			
Compounding Pharmacy				
CITY, STATE, ZIP CODE, COUNTRY	TYPE ESTABLISHMENT INSPECTED			
Troy, MI 48083	Producer of Sterile Drug Products			

#### **OBSERVATION 2**

Clothing of personnel engaged in the processing of drug products is not appropriate for the duties they perform.

Specifically,

Gowning of operators performing aseptic operations in the "ISO 5" laminar flow hoods is inadequate in that protective gowns, face masks, and hair nets worn during aseptic processing are not sterile. Additionally, the current gowning method leaves facial skin exposed, including eyes and forehead. For example, gowning worn as observed during the aseptic processing of Selenium 40mcg/ml Injectable lot 10302014@16 on 10/30/2014.

# **OBSERVATION 3**

Aseptic processing areas are deficient regarding the system for monitoring environmental conditions.

Specifically,

- i. Environmental monitoring is not performed at least (b) (4) during drug production in the critical areas, to evaluate the quality of the aseptic processing environment and assess whether aseptic conditions are maintained.
  - a. Non-viable particulate monitoring is performed in the aseptic processing room once every(b) (4)
  - b. Viable air monitoring is performed in each laminar flow hood once every (b) (4)
  - c. Viable surface monitoring is performed in each laminar flow hood once (b) (4)
  - d. Personnel fingertip monitoring is performed for one operator once every (b) (4)

ii. No data was provided to support that the incubator	used to incubate environmental monitoring surface and fingertip	
samples is qualified for its intended use. (b) (4)	Directions for Use states, "(b) (4)	
	". The temperature of the incubator is checked only (b) (4)	
and no documentation was provided to support calibration of the unit's temperature probe.		

The above apply to aseptic processing areas used to process and fill all sterile drug products, for example, Hydroxocobalamin 1,200mcg/ml Injectable lot 09052014@66 and Selenium 40mcg/ml Injectable lot 10302014@16 on 10/30/2014.

## **OBSERVATION 4**

Aseptic processing areas are deficient regarding systems for maintaining any equipment used to control the aseptic conditions.

Specifically,

The monitoring frequency of pressure differentials between the aseptic processing areas and surrounding areas of lower air

SEE REVERSE OF THIS PAGE

Sarah M. Napier, Investigator Emily J. Orban, Investigator

Emily J. Orban, Investigator

FORM FDA 483 (99/98) PREVIOUS EDITION OBSOLETE INSPECTIONAL OBSERVATIONS PAGE 2 OF 4 PAGES

DISTRICT ADDRESS AND PHONE NUMBER	DATE(S) OF INSPECTION	
300 River Place, Suite 5900	10/29/2014 - 11/13/2014*	
Detroit, MI 48207	FEI NUMBER	
(313) 393-8100 Fax: (313) 393-8139	3011130315	
Industry Information: www.fda.gov/oc/ind	ustry	
NAME AND TITLE OF INDIVIDUAL TO WHOM REPORT ISSUED		
TO: Bradley J. McCloskey, Pharmacist in	Charge	
FIRM NAME	STREET ADDRESS	
Diversified Pharmacy Inc dba University	2520 Livernois Road	
Compounding Pharmacy		
	TYPE ESTABLISHMENT INSPECTED	
CITY, STATE, ZIP CODE, COUNTRY		

quality is not justified. Currently, such pressure differentials are checked and documented by operators (b) (4) according to SOP 1.40, Compounding Area Requirements (Sterile). Assurance was not provided to support that a temporary loss in differential pressure during filling operations would be detected and appropriately handled. For example, the aseptic processing areas in which all sterile drug products are processed and filled, including but not limited to Hydroxocobalamin 1,200mcg/ml Injectable lot 09052014@66 and Selenium 40mcg/ml Injectable lot 10302014@16 on 10/30/2014.

#### **OBSERVATION 5**

There is no written testing program designed to assess the stability characteristics of drug products.

Specifically,

- i. Beyond use dates assigned to sterile drug products are not always supported by sterility testing over the labeled shelf life in representative container closure systems, for example:
  - -Methylcobalamin 1,000mcg/ml Injectable lot 09292014@63, beyond use date of 180 days
  - -Testosterone Cypionate (PF) Olive Oil 200mg/ml Injectable, beyond use date of 90 days
  - -Hydroxocobalamin 1,200mcg/ml Injectable lot 09052014@66, beyond use date of 90 days
- ii. For drug products containing a preservative, testing has not been performed to support that the preservative system retains antimicrobial effectiveness over the labeled shelf life of the drug product. For example, Hydroxocobalamin 1,200mcg/ml Injectable lot 09052014@66.

# **OBSERVATION 6**

Container closure systems do not provide adequate protection against foreseeable external factors in storage and use that can cause deterioration or contamination of the drug product.

Specifically,

Adequate container closure integrity testing has not been performed for any sterile product container closure systems. Specifically, vials are filled (b) (4)

support that this closure will prevent the ingress of microbial contamination post puncture. For example, the container closure system used to package Hydroxocobalamin 1,200mcg/ml Injectable lot 09052014@66.

## **OBSERVATION 7**

Each batch of drug product purporting to be sterile and pyrogen-free is not laboratory tested to determine conformance to such requirements.

Specifically,

	EMPLOYEE(S) SIGNATURE	DATE ISSUED
SEE REVERSE OF THIS PAGE	Sarah M. Napier, Investigator SMU	11/13/2014

PAGE 3 OF 4 PAGES

FORM FDA 483 (69/08) PREVIOUS EDITION OBSOLETE INSPECTIONAL OBSERVATIONS

	LTH AND HUMAN SERVICES UG ADMINISTRATION	
DISTRICT ADDRESS AND PHONE NUMBER	DATE(S) OF INSPECTION	
300 River Place, Suite 5900	10/29/2014 - 11/13/2014*	
Detroit, MI 48207	FEI NUMBER	
(313) 393-8100 Fax: (313) 393-8139	3011130315	
Industry Information: www.fda.gov/oc/indu	stry	
NAME AND TITLE OF INDIVIDUAL TO WHOM REPORT ISSUED		
TO: Bradley J. McCloskey, Pharmacist in	Charge	
FIRM NAME	STREET ADDRESS	
Diversified Pharmacy Inc dba University	2520 Livernois Road	
Compounding Pharmacy		
CITY, STATE, ZIP CODE, COUNTRY	TYPE ESTABLISHMENT INSPECTED	
Troy, MI 48083	Producer of Sterile Drug Products	

Aseptically filled sterile injectable drug products are released and distributed prior to receiving final laboratory results for sterility and endotoxins. For example, Hydroxocobalamin 1,200mcg/ml Injectable lot 09052014@66 was made on 9/5/2014 and distributed on 9/10/2014. On 9/18/2014, investigations into a suspected sterility failure commenced at the firm and contract laboratory, resulting in the recall of this drug.

# **OBSERVATION 8**

The responsibilities and procedures applicable to the quality control unit are not in writing.

Specifically,

A 100% visual inspection for contamination is not performed on each lot of sterile drug products prior to release and distribution. Currently (b) (4) from each finished lot of sterile drug product are examined visually for contamination; such examinations are not documented. For example, Dimercaptopropane Sulphonate 50mg/ml Injectable lot 10302014@6.

#### **OBSERVATION 9**

The operations relating to the processing of penicillin are not performed in facilities separate from those used for other drug products for human use.

Specifically,

Procedures have not been established for the separation of tasks and segregation of personnel handling beta-lactam drug products from those for all other human drug products. For example, Amoxicillin/Clavulonic Acid (4.5 capsules = 500mg-125mg) lot 10302014@43 was processed in a containment hood in the non-sterile laboratory area on 10/30/2014, and subsequently, Estradiol 1.2mg/gm HRT Cream lot 10302014@69 and Progesterone Slow Release 50mg Veggie Capsule lot 10302014@62 were compounded in the same laboratory area on that same day.

## \* DATES OF INSPECTION:

10/29/2014(Wed), 10/30/2014(Thu), 11/03/2014(Mon), 11/04/2014(Tue), 11/05/2014(Wed), 11/13/2014(Thu)

SEE REVERSE ET

Sarah M. Napier, Investigator

Emily J. Orban, Investigator

Su MM7 =

DATE ISSUED

11/13/2014

FORM FDA 483 (09/08)

PREVIOUS EDITION OBSOLETE

EMPLOYEE(S) SIGNATURE

INSPECTIONAL OBSERVATIONS

PAGE 4 OF 4 PAGES